

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

LISTING OF CLAIMS

1. (cancelled)

2. (currently amended) A The fan unit according to claim 1, further comprising:
a rotation mechanism for rotating the rotor;

an electric rotary machine having a rotor and a control circuit for the rotor, said control circuit selectively switching between normal rotation and reverse rotation of the rotor;

a fin structure unified with the rotor;

a rotation mechanism for rotating the rotor,

wherein the said rotor is formed to be encircled by coils and have an opening at a central portion thereof in a direction along which the opening permits fluid to flow; and

the fin structure is coupled with a peripheral portion of the opening so as to be unified with the rotor, the peripheral portion incorporating the rotation mechanism therein.

3. (currently amended) The fan unit according to claim 1, wherein the electric rotary machine is provided with a first magnetic member, a second magnetic member disposed to face the first magnetic member with a space therebetween, a third magnetic member disposed between the first and the second magnetic members and

configured to relatively movable to both the first and second magnetic members in a predetermined direction in the space,

wherein each of the first and second magnetic members has a plurality of electromagnetic coils which are current-excitable and disposed in order along each magnetic member so as to have relative differences in disposal pitches of both of the electromagnetic coils of the first magnetic members and the electromagnetic coils of the second magnetic member, and

the third magnetic member has a plurality of permanent magnets magnetized to predetermined magnetic poles and disposed in order along the third magnetic member, the third magnetic member being unified with the fin structure so as to serve as the rotor.

4. (original) The fan unit according to claim 3, further comprising exciting circuit means configured to supply excitation current to the electromagnetic coils of at least one of the first and second magnetic members.

5. (original) The fan unit according to claim 4, wherein the exciting circuit means is configured to supply the excitation current to the electromagnetic coils of the first and second magnetic members, the excitation current being set to give the same magnet pole to the electromagnetic coils of each of the first and second magnetic members.

6. (original) The fan unit according to claim 5, wherein the excitation current supplied to the electromagnetic coils of the first magnetic member is different in phase

from the excitation current supplied to the electromagnetic coils of the second magnetic member.

7. (previously presented) The fan unit according to claim 2, wherein each of the first, second and third magnetic members is formed into a circular arch shape.

8. (previously presented) The fan unit according to claim 2, wherein both of the first and second magnetic members are disposed with an equal spatial distance kept therebetween and the third magnetic member is located at a central position between first and second magnetic members.

9. (original) The fan unit according to claim 2, wherein the fun-fin structure is formed to have a hole at a center of the fun-fin structure.

10. (currently amended) The fan unit according to claim 1claim 2, further comprising a support device rotatably supporting the rotor, the support device being disposed at a rotational center of the rotor.

11. (currently amended) The fan unit according to claim 1claim 2, further comprising a support device rotatably supporting the rotor, the support device being disposed around a peripheral portion of the rotor.

12. (currently amended) The fan unit according to claim 1claim 2, wherein the electric rotary machine is an electric motor.

13. (currently amended) The fan unit according to claim 1claim 2, wherein the electric rotary machine is an electric generator.

14. (currently amended) A heat exchange system having a compressor for a heat exchange medium, the compressor including the fan unit according to claim 1
claim 2.

15-20. (cancelled)